

CARGO SOLUTIONS DASH 8-400

Building on the popularity of the Dash 8-400 as a passenger aircraft, De Havilland Canada (DHC) introduces a series of freighter options to better serve the expanding cargo market.





DISCOVER THE DASH 8-400 FREIGHTER

Now, Dash 8-400 owners can easily extend the use of their aircraft and enhance overall value throughout their life cycles. The Dash 8-400 is known for its high revenue-generating capabilities and low unit cost of operation as much as for its rugged design and exceptional performance and reliability.

Why the Dash 8-400 Freighter?



Cargo market is growing



Asset value is in range



Conversion solutions are available

PLUS - The Built-in Values of the Dash 8-400

- Outstanding airfield accessibility
- → Hot & high performance
- → Range capability up to 1,640 nm

- → Operation (no tipping concern)
- → Obsolescence protected
- → Low operating costs
- → Long structural life

- → ICAO Ch. 14 noise standard
- → Low CO₂ emissions
- → Great maintainability & reliability
- → Global support infrastructure





VERSATILITY FOR YOUR BUSINESS MODELS

From light e-commerce packages to bulky car parts and everything in between, cargo needs to be transported to and from small communities.

In times like those faced during the COVID-19 pandemic, the demand for supplies in remote locations becomes even more critical. The Dash 8-400 rises to this challenge, whereas larger freighters can be impractical if not outright prohibitively uneconomical. DHC is perfectly positioned to offer all cargo solutions through original equipment manufacturer (OEM) Service Bulletins approved by Transport Canada. From complete kit installation to on-site support, DHC is ready to provide a wide range of OEM support as desired by our customers.

REVENUE EXPANSION



QUICK CHANGE - QC

- → Reversible all-passenger or all-cargo configurations
- Conversion possible in under five hours

REVENUE OPTIMIZATION



CARGO COMBI - CC

- Mixed passenger and cargo operation
- Separate compartments for quick turnaround

E-COMMERCE EXPRESS



PACKAGE FREIGHTER - PF

- Over 10 tonnes capacity
- → Bulk loading from five access doors

CONTAINERS & PALLETS



FREIGHTER WITH LARGE **CARGO DOOR - F-LCD**


- → Cargo loading system
- Up to nine LD3 containers, plus miscellaneous cargo




The quick change solution is a revenue expansion model that offers flexibility to convert the Dash 8-400 between all-passenger and all-cargo configuration.

Operators can combine two distinctive income streams into one, significantly expanding their revenue base. The short time required to switch from one configuration to the other allows operators to match market dynamics swiftly. By installing a new smoke detection system in the cabin to convert it into a Class E compartment, no attendants are required in the cabin for cargo flights.


→ Dash 8-400 QC Expands Revenue Potential and Enhances Utilization





All-Cargo Configuration*

New Smoke Detector



Reversible in 4-5 hours





VOLUME
Up to 52.8 m³ / 1,867 ft³



*ALL PASSENGER: up to 1,100 nm

**ALL CARGO: up to 1,600 nm

COMPARTMENT
'E' Class





The Dash 8-400 Cargo Combi is a mixed revenue model that offers another level of flexibility by combining passenger and cargo transport at the same time.

Up to 68 passenger seats in the forward cabin and an extended Class "C" cargo compartment in the aft fuselage. In addition to checked baggage, there is ample space in the cargo compartment for freight thanks to the logical layout of the Dash 8-400 that facilitates the Cargo Combi configuration. The two pressurized compartments are separated by a bulkhead and operated independently, with simultaneous passenger boarding and cargo loading at opposite ends of the aircraft. The Cargo Combi configuration is ideal for operation on point-to-point markets in small communities where cargo supplies are as important as passenger transport.

 $\textbf{Note:} \ \mathsf{Cargo} \ \mathsf{Combi} \ \mathsf{production\text{-}certified} \ \mathsf{retrofit} \ \mathsf{is} \ \mathsf{subject} \ \mathsf{to} \ \mathsf{launch}.$











VOLUME Up to 23.5 m³/ 828 ft³



RANGE Up to 1,245 nm








The Dash 8-400 Package Freighter allows bulk loading of various sizes of cargo, such as e-commerce packages.

There are nine distinct loading zones with eight radial spider nets providing tie-down and restraint functions. The primary cargo access door is in the same position as the aft LHS baggage compartment door in all Dash 8-400 aircraft, and there are four additional access doors (one at the front and one at the back on each side of the aircraft) to facilitate quick loading and unloading of cargo. It is ideal for the transportation of e-commerce packages. An optional Cargo Loading System is also available for palletized cargo.








Full Freighter with Large Cargo Door Dash 8-400 F-LCD

The Dash 8-400 Package Freighter can be equipped with a large cargo door (LCD) and a cargo loading system to provide a containerized cargo model that facilitates the transport of unit load device (ULD) pallets or containers.

With the LCD measuring $107" \times 71.5"$ (2.7m x 1.8m), the Dash 8-400 is equipped to handle typical containers such as LD1, LD2, LD3, and LD4. For example, it can carry as many as nine LD3 containers. This allows interline transfer of containers from other aircraft in the network. It is ideal for hub-and-spoke network carriers as well as major logistics operators.





PAYLOADUp to 9.7 T / 21,400 lb



VOLUMEUp to 79.3 m³ / 2,800 ft³



RANGEUp to 1,640 nm



COMPARTMENT'E' Class



SPECIFICATIONS

CONFIGURATION	Quick Change (Dash 8-400 QC)	Cargo Combi (Dash 8-400 CC)	Package Freighter (Dash 8-400 PF)	Freighter With Large Cargo Door (Dash 8-400 F-LCD)
Passenger	Current configuration	Up to 68 seats	N/A	N/A
Cargo Weight (Tonne)	9.2	2.6	10.2	9.7
Cargo Volume (m³)	52.8	23.5	79.3	79.3
Cargo Weight (lb)	20,310	5,750	22,500	21,400
Cargo Volume (ft³)	1,867	828	2,800	2,800
Cargo Compartment	Class E	Class C	Class E	Class E
LD3 Container	N/A	N/A	N/A	Up to 9
Range ^A	Cargo: 1,600 nm Passenger: 1,100 nm ^B	1,245 nm ^c	1,555 nm	1,640 nm ^D

